

Easy to install and use

Just plug and play to minimize the installation time and cost. Continuous remote OTA, one-click software upgrade.

Compatibility

Compatible with most of the available Hybrid inverters in the market.



For more information, please contact us

EAST LUX ENERGY TECHNOLOGY (SHENZHEN) CO., LTD

- **a** +86755 2826 2663
- info@eastluxenergy.com

 info@eastluxenergy.com
- www.eastluxenergy.com
- no. 29 Longcheng Ave., Longgang District, Shenzhen, China

Technical Parameters	
Model	EL15KES
Battery Type	LiFePO4
Energy	15360 Wh
Capacity	300AH
Rated Voltage	51.2V
Working Voltage Range	40~58.4V
Max Charge Current	200A
Max Discharge Current	200A
Standard Charge Current	100A
Standard Discharge Current	100A
DOD	80%
Max Parallel Quantity	16
Designed Life-span (1)	≥6000 cycles (25°C, 0.5C, ≥80%of initial capacity)
Operating Temperature (2)	Charge : -20 ~ 55°C Discharge : -20 ~ 55°C
Operation Humidity	5 ~ 95%
Nominal Operation Altitude	< 3000m
IP Rating	IP54
Installation Method	Self-contained
Communication	RS485/CAN/RS232 / Wifi / Bluetooth
Certification	MSDS/ UN38.3/CE/RoHS
Net Weight	≈120kg
Dimension(L*W*H)	L520*W240*H840 mm
Warranty (years)	Standard 5 year product warranty, Upgradable to 10 years

East Lux Energy's Energy Storage Batteries Family







10kWh, 51.2V, 200Ah

5kWh, 51.2V, 100Ah